DEVELOPMENT REVIEW BOARD REPORT



Meeting Date: March 2, 2006	ITEM NO

CASE NUMBER/ 1-MS-2005

PROJECT NAME

McDowell Mountain Business Center Master Sign Plan

LOCATION 16563 N. Pima Road, southeast corner of Bahia Drive and the Pima Freeway

Loop 101 Frontage Road

REQUEST Request approval of the Master Sign Plan for the McDowell Mountain Business

Center.

OWNER Kitchell Development ENGINEER N/A

CompanyCo. 602-631-6101

ARCHITECT/ D F D Cornoyer Hedrick APPLICANT/ Rick Markum

DESIGNER

602-381-4768

COORDINATOR

D F D Cornover Hedrick

602-381-4768

BACKGROUND Zoning.

The site is zoned Industrial Park (I-1 PCD) and C-2 (Central Business), within the Horseman's Park West Planned Community District (PCD) Overlay zoning district. The I-1 District allows for office, warehouse, manufacturing/processing and related uses while the C-2 District provides for commercial activities designed to serve the business park and local community.

Context.

The site is located at the southeast corner of Bahia Drive and the Pima Freeway, Loop 101 Frontage Road. The land is situated just north of the WestWorld site.

Adjacent Uses:

 North: Bahia Drive with office uses and zoned Industrial Park (I-1 PCD) District

• South: WestWorld with Western Theme Park (WP) zoning

 East: N. 90th Street with office/ warehouse uses and Industrial Park (I-1 PCD) District

• West: Pima Freeway, Loop 101 (northbound) Frontage Road

APPLICANT'S PROPOSAL

Applicant's Request.

The request is for approval of a new master sign program for the McDowell Mountain Business Center, a new two (2) building, 15-acre office park with detached parking structure and future bank. The Master Sign Plan will consist of freestanding, directional and building wall signs. The proposed Master Sign Plan for this site is designed to reflect the character of the site, and the surrounding Horsemen's Park area and to be in conformance with the Horseman's Park MEDCP to define the size, type, color and location of signs. Types of sign proposed with the Master Plan include Freestanding Monument

signs, Vehicle and Pedestrian Directional signs, Tenant Building signs and building address numbers. Also, stipulations of the previous zoning case (8-ZN-2004) required the provision of a Verde Canal Trailhead and Interpretive Center containing graphic sign panels depicting historical reference for the Verde Canal on this site.

Freestanding Monument Project Identification and Directional Signs.

Project or building identification signs will be limited to three (3) freestanding monument, entry signs, one will be located along the perimeter of the property at the main entrances on Bahia Drive, the Freeway Frontage Road and at the 90th Street entrance. The five (5) foot tall monument signs contain project and major tenant names and consist of 10 inch tall, aluminum colored letters on brown, tan and black stucco finished background with 2-tone CMU to match the buildings, plus a circular flowerpot detail. Interior to the site are four (4) Vehicle Directional and two (2) Pedestrian Directional, maximum 4-foot tall sign panels with similar 5-inch tall aluminum letters on brown, tan and black stucco background. Freestanding project signs are for the use of tenants, clients and guests of the business center and will be lighted at night so that business center and tenant names are visible. The signs will not exceed dimensions or areas specified by the Zoning Ordinance and will be placed within a landscape setting consistent with the site.

Building Wall Signs.

Building wall signs will identify tenant names and be located between the 2nd and 3rd floor windows at approximately 24 feet above grade. Raised lettering contains matte aluminum finished with backlit halo illumination and tenant logo, offset 4 inches from the building face. All tenant signage will be centered horizontally and vertically on the building wall and the letters will not exceed 18 inches in height. Where vertical columns do not permit sign placement between the 2nd and 3rd floors, alternate narrow sign bands may be considered over 3rd floor windows, but below the parapet roof level. Building address numbers are placed at corners of buildings.

Verde Canal Historical Reference Signage.

Pursuant to zoning case stipulation, five (5) Verde Canal Historic Reference signs are proposed at the trailhead location near the N. 90th Street entrance. Informational panel signs will be placed within a central display area along with the provision of mature landscaping, seat walls, pedestrian drinking fountains and an equestrian tie-up and water trough. The five (5) foot tall signs contain metal informational plaques, pictures, images and details mounted on brown, tan and black stucco finished background with 2-tone CMU to match signs and buildings.

Development Information:

• Existing Use: Two, three story buildings and one, two level parking structure

and future bank pad at northwest corner of the site

Parcel Size: 15.57 acres

Building Size: 266,402 square feet for two Office Buildings (133,201 square feet each), parking

structure contains 132,000 square feet plus future 5,000 square foot bank pad site 36 ft. to top of parapet/42 ft. to

• Building Height Allowed/ Proposed: 36 ft. to top of parapet/42 ft. t

top of mechanical screening

• Parking Required/Provided: 888 spaces required/1,309

spaces provided, including 460 surface spaces and 849 spaces within a three level parking structure containing one level at grade, and two levels above

grade

• Open Space Required/ Provided: 132,900 square feet/ 152,400

square feet more or less

• FAR: 0.40 including future bank,

excluding parking structure

DISCUSSION

The stipulations for Case 8-ZN-2004 required that the site's Verde Canal contain a minimum 40-foot wide, 31,000 square foot easement with the construction of an 800-foot long, 8 foot wide stabilized D.G. pedestrian/ equestrian trail. The site is also required to provide a trailhead and interpretive center with information wall and panel to graphically depict historical information relating to the purpose, construction and use of the canal. The Verde Canal trail runs east to west through Horseman's Park from Thompson Peak Parkway to the Pima Freeway Frontage Road, then northward on the City trail system along the east side of the Frontage Road.

The Houseman's Park Master Environmental Design Concept Plan (MEDCP) provides guidelines for Business Park signs, general styles, materials and dimensional standards, which have been applied to this case.

KEY ISSUES

- The request is for a Master Sign Plan is proposed for the overall 15.57-acre site.
- The application is appropriate for the area.
- The request conforms to the Horseman's Park MEDCP.
- A portion of the sign plan relates to an interpretive center for the Verde Canal, situated on this site.

OTHER BOARDS AND COMMISSIONS

- 33-ZN-2000 applied the Horseman's Park Planned Community District (PCD) overlay
- The DRB approved the Horseman's Park Master Environmental Design Concept Plan (MEDCP) to the area in 2001
- Case 7-ZN-2000 rezoned the 16-acre parcel to Central Business (C-2), Industrial Park (I-1) and General Commercial (C-4) Districts
- Case 8-ZN-2004 rezoned the C-4 portion of the site to I-1 in 2004.
- Case 78-DR-2004 gave development approval for the 2 office buildings and parking structure on the site in 2005.

STAFF

RECOMMENDATION

Staff recommends approval, subject to the attached stipulations.

STAFF CONTACT(S)

Al Ward, AICP Senior Planner

Phone: 480-312-7067

E-mail: award@ScottsdaleAZ.gov

APPROVED BY

Al Ward, AICP Report Author

Lusia Galav, AICP

Current Planning Director Phone: 480-312-2506

E-mail: lgalav@scottsdaleAZ.gov

ATTACHMENTS

- 1. Applicant's Narrative
- 2. Context Aerial
- 2A. Aerial Close-Up
- 3. Zoning Map
- 4. Sign Location Map
- 5. Monument Elevation
- 6. Vehicular Directional Elevation
- 7. Pedestrian Directory Sign Elevation
- 8. Landscape Wall Elevation
- 9. Historical/Drinking fountain/Tenant Wall/Building Address Signs
- 10. Office Building Elevations, Sign Envelopes
- 11. Colors & Materials
- A. Stipulations/Zoning Ordinance Requirements

Project Description

Site Description

McDowell Mountain Business Center Phase I of the project consists of a three-story office building having a total gross building area of approximately 133,000 square feet with associated structured parking comprised of one at grade and one above with a total gross building area of 132,000 square feet for 420 spaces on a 15.57 acre total site (zoned C-2 & I-1) located on the southeast corner of Loop 101 and Bahia Drive in Scottsdale, Arizona.

Phase II of the project consists of one (1) three-story, 133,000 square foot office building with assocaited structured parking comprised of three levels for 550 spaces.


Theme and Image

McDowell Mountain Business Center will be developed with an awareness of the surrounding community. The buildings have been designed as a modern interpretation of desert architecture. Horizontal masses with strong vertical elements create a contemporary design that compliments the desert environment of North Scottsdale. The colors and materials used throughout the project provide a natural, harmonious palette indicative of the surrounding Sonoran Desert and nearby McDowell Mountains.

Signage Concept

The signage will assist the visitor by identifying the businesses, building complexes and major tenants from the adjacent roadway or street frontage. Once on the site, the signage becomes directional in nature, using the complex name, building address and major tenant names to assist the visitor with wayfinding. The colors and materials will follow the architectural palette and the palette of the McDowell Mountain Business Park Master Environmental Design Concept Plan in order to link the designs to the architecture and the surrounding neighborhood.

The historic Rio Verde Canal, which runs through the site, merges with the pedestrian/horse trail to create an outdoor amenity which will serve both the tenants of the building and the surrounding neighborhood. To further the experience of the trail and provide historical information on the Rio Verde Canal, interpretive signage will be consolidated into a pedestrian/horseman's node near the East entry.




ATTACHMENT #2




McDowell Mountain Business Center

1-MS-2005



1-MS-2005


ATTACHMENT #3





1-MS-2005 12/16/2005

GD 100 GCALL n/a PROHCT McDowell Mountain Business Center NUMBER 07332A 000 1141 99.06.05 DESCRIPTION Sign Locations Way BEVISED 12.05.05



SPECIFICATIONS

Main Cabine

Externally illuminated aluminum cabinet with masonry element. Illuminated with ground mounted floodlights.

Address Numbers & Tenant Names


1/4" flat-cut non-directional with brushed aluminum finish.

Font: Address - Helvetica Regular

Tenants - Helvetica Light (or established tenant logn/letter style)


- Max sign area for each tenant (per face) shall be 5.2/3 s.f.





1-MS-2005 12/16/2005





1-MS-2005 12/16/2005

FOR PD

| SCALE | 1-61 | FRUIT | VALOURED MOUNTAIN #Universit Einfer | NUMBER | 0.1134 DOI | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 10.00 | 1






PANEL 1 "THE VISION"



PANEL & THE DESIGN



PANEL & "CONSTRUCTION BEGINS"

SPECIFICATIONS

Panels.

2'.0" X.2'.0" Aluminum panel with etched images and fext. Black in fill paint will be added fater to create more contrast and increase visibility. The standard form will be Palatino Linotype.

Mounting


Panels will be mounted directly to landscape walls with 1 1/2" stand-off [see GB184 for Setail]



The images and text shown are conceptual and subject to change



PANEL 4: "DEPRESSION BRINGS CHANGE"



PANELS THE STORY CONTINUES

TYPE HR

PROJECT McDowell Mountain Blueseps Feeter

DESCRIPTION Historical Retrieve eldentity bign

DESCRIPTION HISTORICAL RETRIEVE TO 100 HISTORICAL RETRIEVE

1-MS-2005 12/16/2005

& Jan (41) consistent traffic &



DF SCRIPTON Drinking Fountain Use Sign SCRIPTON Drinking Fountain Use Scripton Drinking Fountain Use Scripton Drinking Fountain Use Script




SPECIFICATIONS

Tenant wall building signs have matte aluminum finish, individual tenant fonts farcording to logof are permitted. Where none exists, the standard font "Helvetica, Regular" will be used.

The tenant logo (if used) and text must conform to specific size restrictions per envelope type (listed on right). For specific envelope see pages 50109 and 60110.






SIGNAGE PER TENANT

Tenant Occupancy Square Footage

Net Building Square Footage

X Aggregate Sign Avey Allowed Signage Square Footage Allowed

SPECIFICATIONS



Ventral Envelope

IENANI

NAME

Privelope Logo Fest William Communication Max Height = 3 (6) Max Apoptic > 3 (0) Max Height = 3 (0) Max Apoptic > 3 (0) Max Height = 3 (0) Max Apoptic > 3 (0) Max Apo

DESCRIPTION Lemmas Well Sugar Mexical did Seveloporis (REVISE 13 28 05)



SPECIFICATIONS

Address Numbers are pan-channel constructions with 3 returns and have a matte aluminum finish. Numbers will be edge-mounted on architectural "aluminum sun screen on a steel frame." Standard address font will be: "Helvetica, Bold

TYPE AD PROJECT NUMBER GD 108 $M2''\!=\!V$ DFD CorneyerHedrick MicDowell Mountain Business Center 03132A 000 DATE 09 06 05 12 05 05 DESCRIPTION Building Address Signs REVISED DESIGN INTENT

Signage Scheme A Middle Band

*Unless Otherwise Specified

This signage scheme only represents one option and the specific scheme will not be determined until the building is completed

Upper invelope =

Vertical Envelope

Middle Band Envelope

Upper Band Envelope

Vertical Logo Essetope

Building Address Numbers



PART 15 - 30' PROJECT MADDINE MAD 15 - 30' PROJECT MADDINE MAD 033 F7 A COLL O3 CAS NOVALE NOVAL NOVA





EAST ELEVATION

109.2
ŭ

n/a
DESCRIPTION Office A Building Developes. Sign Envelopes

DEJIGN INTE

Signage Scheme B

*Unless Otherwise Specified

Middle Band with Vertical Envelopes.

This signage scheme only represents one option and the specific scheme will not be determined until the building is completed.

Middle Envelope

Upper fovelope

Vertical Envelope

Middle Band Envelope

Upper Band Envelope

Vertical Logo Envelope

Building Address Numbers

SCALE

PROJECT

NUMBER

HEVISED

DATE

1" = 30"

09.06.05

12.05.05

03332A.000

McDowell Mountain Business Center



MORTH ELEVATION



WEST ELEVATION



SOUTH ELEVATION



EAST ELEVATION

GD 109.3

SCALE 1" - 30" PROJECT McDowell Mountain Business Center NUMBER 03332A.000 DATE 09.06.05

REVISED


12 05 05

n/a

DESCRIPTION Office A hadding Devations, Sign Envelopes

Signage Scheme C Upper Band with Vertical Envelopes

This signage scheme only represents one aption and the specific scheme will not be determined until the building is completed









NORTH ELEVATION




WEST ELEVATION



Signage Scheme D

Upper and Middle Bands with Vertical Envelopes

This signage scheme only represents one option and the specific scheme will not be determined until the building is completed.



Middle Band Envelope

Upper Band Envelope

Vertical Logo Envelope

Building Address Numbers



Used

272'sq

EAST ELEVATION

ом GD 109.4

39 Carmy strikelick



WEST ELEVATION

Professional Profe

Signage Scheme A

*Unless Otherwise Specified

until the building is completed

This signage scheme only represents one option and the specific scheme will not be desermined

Middle Envelope [

Upper Envelope

Vertical Envelope

Widdle Band Envelope

Upper Band Envelope

Vertical Logn Envelope

Building Address Wumbers.



SOUTH ELEVATION



EAST ELEVATION



NORTH ELEVATION



WEST ELEVATION

он **GD** 110.2

| NCALE | 1" - 30" | PROJECT | McDowell Mountain Business Center | NUMBER | 4132A 200 | DATE | 99 66 05 | REVISION Offine B Bioleting Elevatrons, Sign Envelopes | REVISION OFFIn | 20 65 | 20 65 | REVISION OFFIn | 20 65 |

T D

eproposit Delta i compressa de la

DED CornwyerHedrick

Signage Scheme B

*Unless Otherwise Specified

Middle Band with Vertical Envelopes

until the building is completed

This signage scheme only represents one option and the specific scheme will not be determined

Middle Envelope

Upper Envelope

Vertical Envelope

Middle Band fevelope

Upper Band favelope

Vertical togo Favelope

Building Address Numbers



SOUTH ELEVATION



EAST ELEVATION



WEST ELEVATION

0F3 CorneyerMedrick		n/a	9CALC B* = dB* Burnish Bunness Center WUMBER 033224-000 DATE 09 06 05 dB VISE 12 05 05	McDowell Mountain Business Center	GD
	DESIGN INTENT	TKS CRIPHON Office & Building Elevations, Sign Envelopes		§T10.3	

Signage Scheme C
Upper Band with Vertical Envelopes

*Unless Otherwise Specified

until the building is completed.

This signage scheme only represents one option and the specific scheme will not be determined

Middle Envelope [

Upper Envelope

Vettical Envelope

Moddle Band Envelope
Upper Band Envelope
Vertical Loop Envelope

Building Address Numbers



Available 300'sq Used 298'sq


EAST ELEVATION



Signage Scheme D

Upper and Middle Bands with Vertical Envelopes

This signage scheme only represents one option and the specific scheme will not be determined until the building is completed.







WEST ELEVATION

McDowell Mountain Business Center

01312A.000

09.06.05

12 05 05

GD 110.4

TYPE n/a SCALE PROJECT NUMBER DESCRIPTION Office II Bioliding Elevations, Sign Envelopes HIVSELD

Colors & Materials

PT-1 "Western Cedar" Frazee 8345D



PT-2

"Cinnamon Spice" Frazee 8254M



PT-3

"Dark Colossus" Frazee 8526A



V-1

3M Scotchcal "Silver" 220-120



M-1

Integrally Colored CMU Smooth Face Superlite "Harvest Brown" 62.10.3



M-2

Integrally Colored CMU Split Face Superlite "Autumn" 62.27



1-MS-2005 12/16/2005

Stipulations for Case: McDowell Mountain Business Center Master Sign Plan 1-MS-2005

Unless otherwise stated, the applicant agrees to complete all requirements prior to final plan approval, to the satisfaction of Project Coordinator and the Final Plans staff.

PLANNING

APPLICABLE DOCUMENTS AND PLANS:

DRB Stipulations

- 1. Except as required by the City Code of Ordinances, Zoning Regulations, Subdivision Regulations, and the other stipulations herein, the site design and construction shall substantially conform to the following documents:
 - Architectural elements, including dimensions, materials, form, color, lettering and texture, shall be consistent with the signage elevations and details submitted by DFD Cornoyer-Hedrick with a staff date of December 16, 2005.
 - b. The location of signs on site shall be consistent with the site plan submitted by DFD Cornoyer-Hedrick with a staff date of December 16, 2005.
 - c. The guidelines for signage provided by the Horseman's Park MEDCP.

ARCHITECTURAL DESIGN:

DRB Stipulations

- 1. Any addition, change or modification to this master sign program requires Development Review Board approval
- 2. No portable signs of any type permitted.
- 3. All signs shall be submitted at the One Stop Shop for review, approval and permit.
- All signs shall conform to the requirements of Horseman's Park Master Environmental Design Concept Plan (MEDCP).

RELEVANT CASES:

Ordinance

A. At the time of review, the applicable zoning, DRB, Use Permit, and etc. case(s) for the subject site were: 33-ZN-2000, 7-ZN-2000, 8-ZN-2004, 78-DR-2004 and the Horseman's Park Master Environmental Design Concept Plan (MEDCP)